

Chapter 1

Installing TAV

1.1 System Requirements

In order to run TAV, the minimum system requirements are:

- IBM PC or compatible
- x486 CPU @ 33MHz or higher recommended
- 3.5" disk drive
- Microsoft Windows® 3.1 or higher
- VGA or better video capability
- 4MB RAM (8MB or more recommended)
- 20MB of hard disk space for system files
- Recommended 10MB of hard disk space be allocated for cached data
- Modem or TCP/IP capability
- Mouse

1.2 Installing TAV

To install TAV, use the setup program located on the TAV Setup Disk #1. The setup program will perform a step-by-step installation of the TAV files on your hard drive.

To Install TAV:

1. Close all Windows programs before running the Setup program. Do not exit Windows, only the programs running within Windows.
2. Insert the TAV Setup Disk #1 into your floppy drive. If you are installing TAV on Windows 3.1, Windows for Workgroups, or Windows NT 3.51, proceed to Step 3. If you are installing on Windows 95 or Windows NT 4.0 proceed to Step 4.

3. Open file manager and select Drive A. Drive A can be selected by:

a) Clicking the  button

or by

b) Selecting the **Select Drive** option from the **Disk** menu and then selecting the A drive.

A window displaying the contents of Drive A will appear (Figure 1.2-1a). Now proceed to step 5.






Figure 1.2-1a

4. The following procedure installs TAV on Windows 95®.

a. Click the  button on the taskbar and select **Run**.

b. Click the **Expand** button on the open listbox and select **Explorer**.

c. Click **OK** to launch Explorer. Expand the Desktop tree and find your 3.5" drive.

d. Click on the  button. The contents of Drive A will appear (Figure 1.2-1b).




Figure 1.2-1b

5. Double click on **setup.exe** icon to run the Setup program

The TAV setup dialog shown below (Figure 1.2-2) appears. Setup prepares Install Wizard to guide you through the setup process.




Figure 1.2-2

6. Wait for Setup to prepare the Install Wizard.

After Setup prepares the Install Wizard, the Welcome dialog shown in Figure 1.2-3 appears.




Figure 1.2-3

7. Setup provides three buttons (**Back**, **Next**, and **Cancel**) during the installation process.

- **Back** Returns to the previous dialog if you wish to change your response
- **Next** Proceeds to the next installation step
- **Cancel** Cancels the installation process

Click the **Next** button to continue. The User Information dialog appears (Figure 1.2-4).




Figure 1.2-4

8. Enter your name in the **Name** text box. You must enter your organization's name in the **Organization** text box. When you have finished, click the **Next** button to continue.
9. The Setup Type Dialog appears (Figure 1.2-5).




Figure 1.2-5

The “Workstation” option that is currently selected will perform an installation of the TAV product onto your computer system.

Two other options are provided to allow the installation of TAV to either a server or client system. These options are provided for network or advanced users that wish to provide TAV capabilities from a central location.

The default destination directory is shown at the bottom of the dialog. If you do not want to install TAV in the default directory, use the **Browse** button to select a different directory. When you have finished, click the **Next** button to continue.

10. The Select Components dialog appears (Figure 1.2-6).




Figure 1.2-6

The components that will be installed are shown with a check mark next to the component name. To check or uncheck a component, click on the component name using the left mouse button or use the arrow keys to highlight a component and press the space bar. When all desired components are checked, click the **Next** button to continue.

11. The Select Program Folder dialog appears (Figure 1.2-7).




Figure 1.2-7

Enter the name of the program folder where you want the TAV program icons to be added. The default program folder is named TAV. Click the **Next** button to continue.

12. The Select Communication Protocol dialog appears (Figure 1.2-8).




Figure 1.2-8

The communication protocol is selected using this dialog. If you are unsure of the type of communication protocol that your system is using, contact your network administrator. Select a communication protocol and then click the **Next** button to continue.

If you select the TCP/IP protocol, proceed to Step 15.

13. The Select Components Port dialog shown in (Figure 1.2-9) appears. The modem protocol requires additional information to access the TAV databases.




Figure 1.2-9

Select the Windows COM Port that matches your modem configuration. Click the **Next** button to continue.

14. The Select Database Access Number dialog appears (Figure 1.2-10).

TAV Modem Telephone numbers are:

Commercial: (205) 313-0029
DSN: 897-0029




Figure 1.2-10

The default database access number is shown in the edit box. Edit the number to reflect any prefix that is required for your location. Note: A comma in the number sequence will generate a short pause between the numbers when dialed. Click the **Next** button to continue.

15. The Verify Settings dialog appears (Figure 1.2-11).




Figure 1.2-11

This dialog shows the settings that you have selected during the setup process. If the settings are not correct, you can use the **Back** button to return to the previous screens to change a setting. If the settings are correct, click the **Next** button to continue.

16. Setup begins the process of installing TAV on your hard disk. The status of the installation is shown using a progress indicator. Figure 1.2-12 will also be displayed. For assistance contact the TAV Project Office at the numbers provided in Figure 1.2-12.

Wait for Setup to complete the installation from the floppy disk to your hard drive.




Figure 1.2-12

17. When Setup completes the installation, the following dialog (Figure 1.2-13) appears to inform you that the installation was successful. An option to view the Read Me file is offered at this time. To view the Readme file, click the check box located next to the option. Click the **Finish** button to exit Setup.

At this point, installation of TAV is complete.




Figure 1.2-13

18. Once the installation is completed, the TAV program can be executed by clicking the TAV program icon.

For Windows 3.1, Windows for Workgroups, and Windows NT 3.51 users, the TAV program icon can be found under the TAV program group in the Windows Program Manager. For Windows 95 and Windows NT 4.0 users, the TAV program icon can be found under the start menu or the task bar. See Chapter 2 for further information on starting and exiting the TAV application.